



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/605,365	09/25/2003	Baldev S. Ahluwalia	GEMS8081.149	2364
27061 7590 09/26/2007 ZIOLKOWSKI PATENT SOLUTIONS GROUP, SC (GEMS) 136 S WISCONSIN ST PORT WASHINGTON, WI 53074			EXAMINER CHENG, JACQUELINE	
			ART UNIT 3768	PAPER NUMBER
			NOTIFICATION DATE 09/26/2007	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

info@zpspatents.com
rlt@zpspatents.com
klb@zpspatents.com

Office Action Summary

Application No.

10/605,365

Applicant(s)

AHLUWALIA ET AL.

Examiner

Jacqueline Cheng

Art Unit

3768

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 August 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 15 and 16 is/are allowed.
- 6) ☐ Claim(s) 1-6, 8, 12-14, 17 is/are rejected.
- 7) ☐ Claim(s) 7, 9-11 and 18-20 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-20 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. **Claims 1-6, 8, 12-14, and 17** are rejected under 35 U.S.C. 103(a) as being unpatentable over Foo (US 6,526,307 B2). Foo discloses a method and apparatus for suppression of tissue during gradient echo imaging. The system comprises the usual MRI parts including the standard gradient coils positioned about a bore, transmitting receiving components for transmitting and receiving a FR signal, and control and arithmetic operation components, including a computer (fig. 1). The computer system also comprises an input device that enables an operator to control the production of the images on the screen. Parameters that are often used to control the production of the images (identifying a set of imaging parameters) are receiver bandwidth, x-resolution, TR, T1, flip angle, y-resolution and number of slices. The system control then receives these commands of the imaging parameters from the operator to carry out the desired scan sequence (which would correspond to the selected imaging-parameters) (col. 5 line 43-55).

Art Unit: 3768

First a spectrally-selective inversion pulse selecting normal myocardial tissue is selected (col. 6 line 46-49). Then a number of excitation (alpha) pulses is set. It would be obvious that the setting of an optimal number of alpha pulses would be carried out on the fly as Foo discloses it is preferable to acquire the data during a single breath hold. Depending on how long the person held their breath each time would determine the number of alpha pulses, which would have to be done on the fly as the person starts and stops holding their breath (col. 7 line 11-22). The computer can also determine the null point of the tissue and the T1 times for the tissue (col. 6 line 43-61) and can provide either a 2D or a 3D acquisition sequence (col. 7 line 18-22).

Allowable Subject Matter

4. **Claim 7, 9-11 and 18-20** are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

5. **Claims 15 and 16** are allowed.

Conclusion


6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacqueline Cheng whose telephone number is 571-272-5596. The examiner can normally be reached on M-F 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eleni Mantis-Mercader can be reached on 571-272-4740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3768

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JC


ELENI MANTIS MERCADER
SUPERVISORY PATENT EXAMINER